

Scopes / Handguards / Scope Rings / Grips BiPods / Laser Sights / AR Parts / Hunting Accessories



2018 Catalog • Presmainc.com



Trust Presma Inc to be your optic brand of choice and know that our aim is to offer exceptional performance and value with scopes that are always backed by a Lifetime Limited Warranty.

Created in 2011, Presma Inc is a U.S. company leading the way in affordable, high quality optics manufacture and design.

Our Founder and current CEO has 20+ years of experience of designing and manufacturing sporting optics, expertise that means you can trust Presma Inc. to deliver great product that offers excellent value for money.

We also own two of the largest optics factories in China, which gives us full control: design, manufacturing and supply chain. That allows us to continually develop new product for our customers, reacting to market trends and always incorporating excellent quality components with the latest features. Besides our premium Presma brand we also have the established Sniper brand. We specialize in optics, sights, rings, mounts and AR-15 accessories including handguards, grips and many more aftermarket accessories.

OEM: Presma Inc. can help you bring your own OEM product lines to market. Keep your costs down and make use of our manufacturing capacity and design expertise to deliver your designed + branded sporting goods to your customers.

- We're proud to keep innovating, offering great quality sporting goods products that deliver on quality without costing the earth.
- We want our customers to have the best possible product without having to break the bank. Great quality optics should be affordable and that's what Presma Inc. strives for.
- We back all of our rifle scopes with a Lifetime Limited Warranty (excludes battery + damage caused by battery).


Comes visit us at Shot Show 2018 - booth #1809. We look forward to meeting you!

PRESMA

Table of Contents

Presma® Brand Products

SP Series Rifle Scopespgs 2-8
EX Series Rifle Scopespgs 9-14
RXR Series Rifle Scopespgs 15-21
M-LOK Handguardspg 22
Keymod Handguardspgs 23-24
Scope Ringspgs 25-26
Scope Mountspg 26
Red Dotspg 27
Tactical Flashlightpg 28
AR-15 Charging Handlepg 28



Presma Inc is proud to be amongst the first to offer the shooter one less thing to worry about.

No more having to carry spare batteries or wondering when the ones you have will fail. Introducing the Presma Solar Powered (SP) range that has three illumination colors, each with I I brightness levels to choose from. **All at the touch of a button!**The RXR6 etched glass reticle still performs brilliantly - just without batteries!

In addition to this innovative new feature, the SP range offers the same awesome performance you expect from a Presma rifle scope. Solidly built into a CNC-machined one-piece aluminum tube, we've included clear glass with fully multi-coated lens throughout. That translates to a crisp target image with maximized light transmission and minimized glare.

The 50mm and 56mm scopes all include side focus adjustment – ideally placed for fine-tuning the target picture without having to reach for the objective lens.



Round X circle

Range estimation


Presma® SP Solar Powered Series 6-36X56 Precision Scope, Side AO, OGB RXR Glass Reticle

SP 6-36X56SFL

- Side wheel turret parallax adjustment with range from 15 yards to infinity
- One piece 30 mm tube body with Cardan joint design constructed in premium aircraft class aluminum, hard anodized and matte finish for durability
- Orange, Green, Blue tri-color reticle illumination button with last active color memory function. Automated power off.
- Pin Tumbler coil spring System design provides better shock absorbability and resistance
- · Each direction adjust to 20 MOA
- RXR reticle has two functions: Quick Targeting Round X circle and range estimation
- Shockproof, waterproof and fogproof; 100% Argon filled and sealed with O-Ring
- Piano keyboard shape engraved grooves on all turrets and wheels' circumference

makes it easy to adjust even when wearing gloves


- 56mm Objective Lens for ample light transmission
- Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- · Lifetime Limited Warranty.












Presma® SP Solar Powered Series 4-24X56 Precision Scope, Side AO, OGB RXR Glass Reticle

SP 4-24X56SFL

- Side wheel turret parallax adjustment with range from 25 yards to infinity
- One piece 30 mm tube body with Cardan joint design constructed in premium aircraft class aluminum, hard anodized and matte finish for durability
- Orange, Green, Blue tri-color reticle illumination button with last active color memory function. Automated power off.
- Pin Tumbler coil spring System design provides better shock absorbability and resistance
- · Each direction adjust to 30 MOA
- RXR reticle has two functions: Quick Targeting Round X circle and range estimation
- Shockproof, waterproof and fogproof; 100% Argon filled and sealed with O-Ring
- Piano keyboard shape engraved grooves on all turrets and wheels' circumference

makes it easy to adjust even when wearing gloves

- 56mm Objective Lens for ample light transmission
- · Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- · Lifetime Limited Warranty.






Presma® SP Solar Powered Series 3-18X50 Precision Scope, Side AO, OGB RXR Glass Reticle

SP 3-18X50SFL

- Side wheel turret parallax adjustment with range from 20 yards to infinity
- One piece 30 mm tube body with Cardan joint design constructed in premium aircraft class aluminum, hard anodized and matte finish for durability
- Orange, Green, Blue tri-color reticle illumination button with last active color memory function.
 Automated power off.
- Pin Tumbler coil spring System design provides better shock absorbability and resistance
- · Each direction adjust to 35 MOA
- RXR reticle has two functions: Quick Targeting Round X circle and range estimation
- Shockproof, waterproof and fogproof; 100% Argon filled and sealed with O-Ring
- Piano keyboard shape engraved grooves on all turrets and wheels' circumference


makes it easy to adjust even when wearing gloves

- 50mm Objective Lens for ample light transmission
- Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- · Lifetime Limited Warranty.










Presma® SP Solar Powered Series 2-12X44 Precision Scope, OGB RXR Glass Reticle

SP 2-12X44

- One piece 30 mm tube body with Cardan joint design constructed in premium aircraft class aluminum, hard anodized and matte finish for durability
- Orange, Green, Blue tri-color reticle illumination button with last active color memory function. Automated power off.
- Pin Tumbler coil spring System design provides better shock absorbability and resistance
- Each direction adjust to 50 MOA
- RXR reticle has two functions: Quick Targeting Round X circle and range estimation
- Shockproof, waterproof and fogproof; 100% Argon filled and sealed with O-Ring
- Piano keyboard shape engraved grooves on all turrets and wheels' circumference makes it easy to adjust even when wearing gloves

- 44mm Objective Lens for ample light transmission
- Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- · Lifetime Limited Warranty.






Patent Pending

Presma® SP Solar Powered Series I-6X28 Precision Scope, OGB RXR Glass Reticle

SP 1-6X28

- One piece 30mm tube body with Cardan joint design constructed in premium aircraft class aluminum, hard anodized and matte finish for durability
- Orange, Green, Blue tri-color reticle illumination button with last active color memory function.
 Automated power off.
- Pin Tumbler coil spring System design provides better shock absorbability and resistance
- Each direction adjust to 60 MOA
- RXR reticle has two functions: Quick Targeting Round X circle and range estimation
- Shockproof, waterproof and fogproof; 100% Argon filled and sealed with O-Ring
- Piano keyboard shape engraved grooves on all turrets and wheels' circumference makes it easy to adjust even when wearing gloves

- 28mm Objective Lens for ample light transmission
- Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- Lifetime Limited Warranty.







The Presma® EX Riflscope is a versatile, variable powered riflescope equipped with tri-color electronic illuminated reticles.

The easy to access and clickable color/brightness buttons are designated on a 45 degree of surface on the rear of scope.

Selectable II brightness adjustment control lets the user adapt to different terrains and temperatures.

Automated shut down power to conserve battery's life and memorize the last reticle color and brightness position when the power is on.





Featuring a high quality fully multi-coated lens, Presma EX series Riflescope forms clear, bright and sharp sight image edge to edge.

Presma EX series riflescopes are CNC machined from one piece of 6061-T6 aluminum and hard anodized against corrosion with a black matte finish; Sealed O-ring and Argon filled for waterproof, fogproof and shock proof performance.

This compact design makes easy maneuvering possible in real hunting and shooting activities.

	ITEM	Magnification	Objective Lens	Tube	Paral Adj.	lax Yards	Wire Reticle	Click MOA	W/E MOA	Illum.	Exit Pupil	FOV (ft 100yd)	Eye Relief	Length (in)	Weight (oz)
A	EX 4-16X40AOL PREA011	4-16	40	1"	FRONT	10 - ∞	EX	1/4	±30	R/G/B	10 - 2.5	6.5 - 26.4	3.1 - 3.3"	12.90	18.9
Ħ	EX 3-12X44ML PREA021	3-12	44	1"	FIXED	100	EX	1/4	±30	R/G/B	12 - 3.6	9.0 - 38.9	3.1 - 3.3"	10.80	17.3
и	EX 6-24X50AOL PREA031	6-24	50	1"	FRONT	10 - ∞	EX	1/8	±24	R/G/B	8 - 2.1	4.5 - 18.9	3.1 - 3.3"	13.80	22.6
	EX 4-16X50AOL PREA041	4-16	50	1"	FRONT	10 - ∞	EX	1/4	±30	R/G/B	10 - 3.1	6.5 - 26.4	3.1 - 3.3"	12.90	22.2
Ŋ	EX 4X40L PREA051	4	40	1"	FIXED	100	EX	1/4	±40	R/G/B	10	30	4.9"	10.60	15.0

Presma® EX Series 6-24X50 Precision Scope AO, RGB RXR Reticle

EX 6-24X50AOL

- One piece scope ring mount with quick release bottom.
- 11 levels of Red, Green, Blue illuminated reticle.
- · Illumination adjustment memorizes last level of selection.
- · Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- · EX estimate wire reticle.
- · Integrated level bubble.
- · Superior quality precision lens elements.
- Aluminum 6061-T6 tube with scratch resistant hard-coat anodized black matte finish.


 Built on strong cardan joint platform to fulfill the most demanding outdoor requirement.

 Fully multicoated lenses & ultra wide band coating with advantage solution for maximum light transmission.

- Completely sealed and Argon filled.
- 100% shockproof, Fog-proofed; water-proofed.
- · Flip open lens covers.
- 3" sunshade included.

 Lifetime Limited Warranty (excludes battery + damage caused by battery).















Patent Pending

Presma® EX Series 4-16X50 Precision Scope AO, RGB RXR Reticle

EX 4-16X50AOL

- One piece scope ring mount with quick release bottom.
- 11 levels of Red, Green, Blue illuminated reticle.
- Illumination adjustment memorizes last level of selection.
- · Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- EX estimate wire reticle.
- Aluminum 6061-T6 tube with scratch resistant hard-coat anodized black matte finish.
- · Integrated level bubble.
- Superior quality precision lens elements.
- Built on strong cardan joint platform to fulfill the most demanding outdoor requirement.
- Fully multicoated lenses with advantage solution for maximum light transmission.
- Completely sealed and Argon filled.
- 100% shockproof, Fog-proofed; water-proofed.
- Flip open lens covers.
- 3" sunshade included.
- Lifetime Limited Warranty (excludes battery + damage caused by battery).













Patent Pending

Presma® EX Series 4-16X40 Precision Scope AO, RGB RXR Reticle

EX 4-16X40AOL


- One piece scope ring mount with quick release bottom.
- 11 levels of Red, Green, Blue illuminated reticle.
- Illumination adjustment memorizes last level of selection.
- · Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- EX estimate wire reticle.
- · Integrated level bubble.
- Superior quality precision lens elements.
- Aluminum 6061-T6 tube with scratch resistant hard-coat anodized black matte finish.


 Built on strong cardan joint platform to fulfill the most demanding outdoor requirement.

• Fully multicoated lenses with advantage solution for maximum light transmission.

- Completely sealed and Argon filled.
- 100% shockproof, Fog-proofed; water-proofed.
- · Flip open lens covers.
- 2.5" sunshade included.

• Lifetime Limited Warranty (excludes battery + damage caused by battery).













Patent Pending


Presma® EX Series 3-12X44 Precision Scope, RGB RXR Reticle

EX 3-12X44ML

- One piece scope ring mount with quick release bottom.
- 11 levels of Red, Green, Blue illuminated reticle.
- Illumination adjustment memorizes last level of selection.
- · Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- EX estimate wire reticle.
- Integrated level bubble.
- Superior quality precision lens elements.
- Aluminum 6061-T6 tube with scratch resistant hard-coat anodized black matte finish.
- Built on strong cardan joint platform to fulfill the most demanding outdoor requirement.
- Fully multicoated lenses with advantage solution for maximum light transmission.
- Completely sealed and Argon filled.
- 100% shockproof, Fog-proofed; water-proofed.
- Flip open lens covers.
- 2.5" sunshade included.

 Lifetime Limited Warranty (excludes battery + damage caused by battery).













Patent Pending


Presma® EX Series 4X40L Precision Scop, RGB RXR Reticle



Optics that match with markets premium brands scope's performance... Clear and Sharp Image formation with all round coverage edge to edge image clarity.



Red, Green, Blue tri-color illumination button on unique 45 degree tube surface so it won't interfere with ocular lens viewing. Easy to adjust and comes with last active color memory function.







Piano keyboard shape engraved grooves on all turrets and wheels' circumference for easy adjusting, even when wearing a glove.


Pin Tumbler coil spring System design provides better shock absorbability and resistant. During shooting recoil, the reticle stays in place, making the RXR 6 durable and keeps the aim accurate.

ITEM	Magnification	Objective Lens	Tube	Para Adj.	llax Yards	Etched Reticle	Click MOA	W/E MOA	Illum.	Exit Pupil	FOV (ft 100yd)	Eye Relief	Length (in)	Weight (oz)
RXR 6-24X50SFL PRHA021	6-24	50	1"	SIDE	15 - ∞	RXR6	1/8	±25	R/G/B	8 - 2.1	4.5 - 21.8	4 - 5.3"	13.80	22.1
RXR6 I-6X28 PRHA6011	1-6	28	35mm	FIXED	100	RXR6	1/4	±80	R/G/B	14 - 4.6	17.3 - 103.3	4 - 5.3"	10.60	18.3
RXR6 2-12X44 PRHA6021	2-12	44	35mm	FIXED	100	RXR6	1/4	±60	R/G/B	12 - 3.6	7.9 - 44.8	4 - 5.3"	12.00	20.8
RXR6 3-18X50SFL PRHA6031	3-18	50	35mm	SIDE	20 - ∞	RXR6	1/8	±40	R/G/B	12 - 2.7	5.8 - 32.6	4 - 5.3"	13.60	24.0
RXR6 4-24X56SFL PRHA6041	4-24	56	35mm	SIDE	25 - ∞	RXR6	1/8	±30	R/G/B	10 - 2.3	4.4 - 26.2	4 - 5.3"	15.00	26.8
RXR6 6-36X56SFL PRHA6051	6-36	56	35mm	SIDE	15 - ∞	RXR6	1/10	±20	R/G/B	8 - 1.5	2.8 - 16.8	4 - 5.3"	15.60	28.5


Patent Pending


Presma® RXR Series 6-24X50 Precision Scope, RGB RXR Glass Reticle

RXR 6-24X50SFL



- Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- Level bubble
- Electronic button switch
- Flip up lens covers
- 1" one piece tube
- 3" sunshade
- Glass reticle and side parallax adjustment













Patent Pending

Presma® RXR 6 Series 6-36X56 Precision Scope, RGB RXR Glass Reticle

RXR6 6-36X56SFL

- · Clear and Sharp Image formation. Edge to edge image clarity
- Emerald coated lens, fully multi-coated, for the most excellent light transmission
- Side wheel turret parallax adjustment with range from 15 yards to infinity
- One piece 35 mm tube body with Cardan joint design constructed in premium aircraft class aluminum, hard anodized and matte finish for durability
- Red, Green, Blue tri-color reticle illumination button on unique 45 degree tube surface with last active color memory function. Automated power off to conserve battery's life
- Ocular Lens equipped with bubble level to align mounting scope and aiming level with unique 45 degree tube surface design that won't interfere with ocular lens viewing.
- QTA (Quick Tactical Adjustment) system applied in windage and elevation adjustment

- Pin Tumbler coil spring System design provides better shock absorbability and resistance
- Each direction adjust to 20 MOA
- RXR reticle has two functions: Quick Targeting Round X circle and range estimation
- · Shockproof, waterproof and fogproof; 100% Argon filled and sealed with O-Ring
- Piano keyboard shape engraved grooves on all turrets and wheels' circumference makes it easy to adjust even when wearing gloves
- · Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- 56mm Objective Lens for ample light transmission

Lifetime Limited Warranty (excludes battery + damage caused by battery).







Patent Pendin

Presma® RXR 6 Series 4-24X56 Precision Scope, RGB RXR Glass Reticle

RXR6 4-24X56SFL

- · Clear and Sharp Image formation. Edge to edge image clarity
- Emerald coated lens, fully multi-coated, for the most excellent light transmission
- · Side wheel turret parallax adjustment with range from 25 yards to infinity
- One piece 35 mm tube body with Cardan joint design constructed in premium aircraft class aluminum, hard anodized and matte finish for durability
- Red, Green, Blue tri-color reticle illumination button on unique 45 degree tube surface with last active color memory function. Automated power off to conserve battery's life
- Ocular Lens equipped with bubble level to align mounting scope and aiming level with unique 45 degree tube surface design that won't interfere with ocular lens viewing.
- QTA (Quick Tactical Adjustment) system applied in windage and elevation adjustment

- Pin Tumbler coil spring System design provides better shock absorbability and resistance
- RXR reticle has two functions: Quick Targeting Round X circle and range estimation
- Shockproof, waterproof and fogproof; 100% Argon filled and sealed with O-Ring
- Piano keyboard shape engraved grooves on all turrets and wheels' circumference makes it easy to adjust even when wearing gloves
- · Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- 56mm Objective Lens for ample light transmission
- Each direction adjust to 30 MOA
- Lifetime Limited Warranty (excludes battery + damage caused by battery).







Patent Pending

Presma® RXR 6 Series 3-18X50 Precision Scope, RGB RXR Glass Reticle

RXR6 3-18X50SFL

- Clear and Sharp Image formation. Edge to edge image clarity
- Emerald coated lens, fully multi-coated, for the most excellent light transmission
- Side wheel turret parallax adjustment with range from 20 yards to infinity
- One piece 35 mm tube body with Cardan joint design constructed in premium aircraft class aluminum, hard anodized and matte finish for durability
- Red, Green, Blue tri-color reticle illumination button on unique 45 degree tube surface with last active color memory function. Automated power off to conserve battery's life
- Ocular Lens equipped with bubble level to align mounting scope and aiming level with unique 45 degree tube surface design that won't interfere with ocular lens viewing.
- QTA (Quick Tactical Adjustment) system applied in windage and elevation adjustment

- Pin Tumbler coil spring System design provides better shock absorbability and resistance
- Each direction adjust to 40 MOA
- RXR reticle has two functions: Quick Targeting Round X circle and range estimation
- Shockproof, waterproof and fogproof; 100% Argon filled and sealed with O-Ring
- Piano keyboard shape engraved grooves on all turrets and wheels' circumference makes it easy to adjust even when wearing gloves
- Lockdown ring to secure E/W zero setting with Quick Zero index dot reset
- 50mm Objective Lens for ample light transmission
- Lifetime Limited Warranty (excludes battery + damage caused by battery).







Patent Pending

Presma® RXR 6 Series 2-12X44 Precision Scope, RGB RXR Glass Reticle

RXR6 2-12X44

- Clear and Sharp Image formation. Edge to edge image clarity
- Emerald coated lens, fully multi-coated, for the most excellent light transmission
- One piece 35 mm tube body with Cardan joint design constructed in premium aircraft class aluminum, hard anodized and matte finish for durability
- Red, Green, Blue tri-color reticle illumination button on unique 45 degree tube surface with last active color memory function. Automated power off to conserve battery's life
- Ocular Lens equipped with bubble level to align mounting scope and aiming level with unique 45 degree tube surface design that won't interfere with ocular lens viewing.
- QTA (Quick Tactical Adjustment) system applied in windage and elevation adjustment

- Pin Tumbler coil spring System design provides better shock absorbability and resistance
- Each direction adjust to 60 MOA
- RXR reticle has two functions: Quick Targeting Round X circle and range estimation
- Shockproof, waterproof and fogproof; 100% Argon filled and sealed with O-Ring
- Piano keyboard shape engraved grooves on all turrets and wheels' circumference makes it easy to adjust even when wearing gloves
- 44mm Objective Lens for ample light transmission
- Lifetime Limited Warranty (excludes battery + damage caused by battery).



Presma® RXR 6 Series I-6X28 Precision Scope, RGB RXR Glass Reticle

RXR6 1-6X28

- · Clear and Sharp Image formation. Edge to edge image clarity
- Emerald coated lens, fully multi-coated, for the most excellent light transmission
- One piece 35 mm tube body with Cardan joint design constructed in premium aircraft class aluminum, hard anodized and matte finish for durability
- Red, Green, Blue tri-color reticle illumination button on unique 45 degree tube surface with last active color memory function. Automated power off to conserve battery's life
- Ocular Lens equipped with bubble level to align mounting scope and aiming level with unique
 45 degree tube surface design that won't interfere with ocular lens viewing.
- QTA (Quick Tactical Adjustment) system applied in windage and elevation adjustment

- Pin Tumbler coil spring System design provides better shock absorbability and resistance
- Each direction adjust to 100 MOA
- RXR reticle has two functions: Quick Targeting Round X circle and range estimation
- Shockproof, waterproof and fogproof; 100% Argon filled and sealed with O-Ring
- Piano keyboard shape engraved grooves on all turrets and wheels' circumference makes it easy to adjust even when wearing gloves.
- Compact design
- Lifetime Limited Warranty (excludes battery + damage caused by battery).



Presma® M-LOK Series Slim Free Float Handguards



Hard-coat Anodized and Laser-engraved in the U.S., the Presma M-LOK series handguards are available for both AR-15.223 and AR-10/LR-308.308

CNC-machined with premium quality A6061-T6, each handguard features a full length Picatinny top rail, mini side rails plus three sides of M-LOK slots. Top rail has been T-marked in the U.S.









- Attaches directly to upper receiver via steel barrel nut (included)
- · Lightweight, free float design
- · Full length Picatinny top rail plus additional mini rails
- M-LOK slots on left, right and bottom
- A6061-T6 aluminum alloy
- U.S. Anodized + Engraved



ITEM	TYPE	Length	Picatinny T / L / R / B	M-LOK L / R / B	Anodized USA	Engraved USA	I.D.
MARML7	AR-15 / .223	7"	16/3/3/0	2/2/2	V	V	1.35"
MARML10	AR-15 / .223	10"	23 / 5 / 5 / 3	3/3/3	V	V	1.35"
MARML125	AR-15 / .223	12.5"	30 / 5 / 5 / 3	5/5/5	V	V	1.35"
MARML15	AR-15 / .223	15"	36 / 5 / 5 / 3	6/6/6	✓	✓	1.35"
MARML165	AR-15 / .223	16.5"	40 / 5 / 5 / 3	7/7/7	✓	✓	1.35"
MARML195	AR-15 / .223	19.5"	47 / 5 / 5 / 3	9/9/9	V	V	1.35"



	ITEM	TYPE	Length	Picatinny T / L / R / B	M-LOK L / R / B	Anodized USA	Engraved USA	I.D.
	M38ML10	AR-10 / LR308	10"	23 / 5 / 5 / 3	3/3/3	V	V	1.54"
	M38ML125	AR-10 / LR308	12.5"	30 / 5 / 5 / 3	5/5/5	V	V	1.54"
۱	M38ML15	AR-10 / LR308	15"	36 / 5 / 5 / 3	6/6/6	✓	V	1.54"
	M38ML165	AR-10 / LR308	16.5"	40 / 5 / 5 / 3	7/7/7	✓	V	1.54"
	M38ML195	AR-10 / LR308	19.5"	47 / 5 / 5 / 3	9/9/9	V	V	1.54"

Presma® Jackal Series Super Slim Free Float Handguards

Replacing the standard AR-15 handguard with a Presma® Jackal Series Mount free float quad rail enhances the tactical look for your firearm and provides an instant rock-solid platform for accessories.

Free float quad rails also offer other benefits too such as improved shooting accuracy. Since any pressure on the barrel by a grip or bipod will have an effect on shooting accuracy, which is amplified over longer distances, but our free float quad rail does not touch the barrel at all. No matter how much force you put on the bipod or grip, it will have zero effect on the barrel.













- Attaches directly to the upper receiver via a barrel nut (included)
- Fits: 223 / 5.56, AR15 / M14
- Lightweight Free Floating Barrel Design
- Full Length Uninterrupted Mil-Spec 1913 Picatinny rails on top
- Keymod accessory hole system on both sides and bottom
- Aircraft Grade A6061-T6 Aluminum with Matte Fully finish and Anodized Hard Coat done in the USA
- Each Handguard includes 1 steel barrel nut and Teflon coated screws



ITEM	TYPE	Length	Picatinny T / L / R / B	KeyMod L / R / B	Anodized USA	Engraved USA	I.D.
PRJA011	AR-15 / .223	7"	16 T	5 / 5 / 5	V	~	1.35"
PRJA021	AR-15 / .223	10"	23 / 5 / 5 / 3	6/6/6	V	V	1.35"
PRJA031	AR-15 / .223	12.5"	30 / 2 / 2 / 2	9/9/9	✓	V	1.35"
PRJA041	AR-15 / .223	15"	36 / 5 / 5 / 3	12 / 12 / 12	✓	V	1.35"
PRJA101	AR-15 / .223	16.5"	40 / 5 / 5 / 3	15 / 15 / 15	~	~	1.35"

Presma® Gorilla Series Super Slim .308 Free Float Handguards

The Presma® Gorilla Series is one of the strongest and slimmest ARIO .308 handguard options on the market.

While also simultaneously boasting versatility equal to any of the heavier, bulkier full quad rail handguard designs.









- Attaches directly to the upper receiver via a barrel nut (included)
- Fits: .308 AR10
- Lightweight Free Floating Barrel Design
- Full Length Uninterrupted Mil-Spec 1913 Picatinny rails on top
- Keymod accessory hole system on both sides and bottom
- Aircraft Grade Aluminum with Matte Fully finish and Anodized Hard Coat done in the USA
- Each Handguard includes 1 steel barrel nut and Teflon coated screws






ITEM	TYPE	Length	Picatinny	KeyMod	Anodized	Engraved	I.D.
			T/L/R/B	L/R/B	USA	USA	
PRGO011	AR-10 / LR308	10"	22 / 5 / 5 / 3	6/6/6	V	V	1.54"
	AR-10 / LR308	12.5"	30 / 2 / 2 / 2	9/9/9	✓	'	1.54"
PRGO031	AR-10 / LR308	15"	36/2/2/2	12 / 12 / 12	✓	V	1.54"
PRGO041	AR-10 / LR308	16.5"	40 / 5 / 5 / 5	15 / 15 / 15	~	V	1.54"

Presma® Wing Series Quick Release Scope Rings

Choice of 1" / 30mm diameter, Medium / High profile





Presma Wing Series, I" Quick Release Button Medium Profile Scope Rings

PT-QR25M4

- 1" Diameter, 1.03" to Ring Center
- · Medium Profile See Through Rings
- · For Picatinny rails
- · A6061-T6 aluminum alloy
- · Hard coat anodized, matte black
- See through cut-out (doesn't block iron sights)
- 4 screws per ring for secure scope hold
- · Extra Picatinny rail slot on top of each ring (for laser/light etc.)
- · Quick release, secure clamp to rail

Presma Wing Series, I" Quick Release Button High Profile Scope Rings

PT-QR25H4

- 1" Diameter, 1.18" to Ring Center
- · High Profile See Through Rings;
- For Picatinny rails
- A6061-T6 aluminum alloy
- · Hard coat anodized, matte black
- See through cut-out (doesn't block iron sights)
- · 4 screws per ring for secure scope hold
- Extra Picatinny rail slot on top of each ring (for laser/light etc.)
- · Quick release, secure clamp to rail





Presma® Wing Series Quick Release Scope Rings

Presma Wing Series, 30 mm Quick Release Button Medium Profile Scope Rings for Picatinny/ Weaver Rail; 4 screws for best results

- 30 mm Diameter, 1.10" to Ring Center
- Medium Profile See Through Rings
- Picatinny/ Weaver Rail design
- · Matte Finish Hard Black Anodized
- Aircraft Grade Aluminum Alloy
- Center lug machine into position

- 3mm Allan wrench includes extra screw
- 4 screws to fasten scope ring to ensure best security
- Quick Release Button, Attached securely to Picatinny Rail
- Upper Half Ring Top features 2 slot rails

Presma Wing Series, 30 mm Quick Release Button High Profile Scope Rings for Picatinny/ Weaver Rail; 4 screws for best results PT-QR30H4

- 30 mm Diameter, 1.40" to Ring Center
- High Profile See Through Rings
- Picatinny/ Weaver Rail design
- Matte Finish Hard Black Anodized
- Aircraft Grade Aluminum Alloy
- Center lug machine into position

- 3mm Allan wrench includes extra screw
- 4 screws to fasten scope ring to ensure best security
- Quick Release Button, Attached securely to Picatinny Rail
- Upper Half Ring Top features 2 slot rails.







Presma Wing Series, I" Quick Release Button Cantilever Integrated Scope Rings for Picatinny/ Weaver Rail; 4 screws for best results

PRWG050

- 1" Diameter
- Cantilever Integrated See Through Rings
- · Picatinny/ Weaver Rail design
- · Matte Finish Hard Black Anodized
- Aircraft Grade Aluminum Alloy

- Center lug machine into position
- 3mm Allan wrench includes extra screw
- 6 screws to fasten scope ring to ensure best security
- Quick Release Button, Attached securely to Picatinny Rail

Presma Wing Series, 30 mm Quick Release Button Cantilever Integrated Scope Rings for Picatinny/ Weaver Rail; 4 screws for best results

PRWG060

- 30 mm Diameter
- Cantilever Integrated See Through Rings
- Picatinny/ Weaver Rail design
- Matte Finish Hard Black Anodized
- Aircraft Grade Aluminum Alloy

- Center lug machine into position
- 3mm Allan wrench includes extra screw
- 6 screws to fasten scope ring to ensure best security
- Quick Release Button, Attached securely to Picatinny Rail





Presma® Red / Green Dot Scopes

Presma® Red RXR Series Compact Reflex Dot Scope

PRRH011

- 3.5 MOA dot diameter.
- 11 Levels of Green/ Red Dot density adjustment
- Density control is designated on easy and viewable 45 degree angle surface.
- Automatically returning to last dot density when power on.
- Access dot density adjustment button on the rear of Scope
- · Emerald Multi-Coated Lens
- One-piece body CNC machined from 6061-T6 aluminum
- Low profile integrated picatinny ring mount
- Lightweight, Compact and Easy to Use Design
- · O-ring sealed and Argon filled for waterproof, fogproof and shock proof performance.

Presma Red RXR delivers a durable, lightweight, compact and easy to use design. Just Point and Shoot, it's that simple, fast and accurate.

Green and Red dot clickable button brightness controls is designed on 45 degree angle surface for quick access and easy to find.

Each color has I I levels of density and automatically returns



The 3.5 MOA Red/Green dot diameter provides precise target of aim. The O-ring sealed and Argon filled one-piece body machined from 6061-T6 aluminum is waterproof, fogproof and shock proof performance. Low profile integrated picatinny ring mount offers quick mounting on AR's and shotguns.



Presma® Tactical Flashlight

Presma FL03 tactical light for handguns and pistols with a Picatinny rail in front of the trigger guard.

Brand new design!

FL03 Rail-Mounted Handgun Tactical Light (1000 Lumens)

FL03

- Ambidextrous controls with a choice of 3 brightness levels plus 2 tactical flashing modes: strobe and SOS.
- Super-bright 1000 lumens, powered by CREE U2 LED technology.
- Waterproof and dustproof IP67 rated (liquids up to depth of 39 inches)
- · Flashlight tube is hard anodized and finished in matte black.
- Run time is 20 minutes set to highest brightness and 4 hours at lowest.
- Uses one 16340 rechargeable battery to operate (included).
- Length: 2 7/8"; Weight: 2.92 oz





Presma® Ambi Charging Handle

Presma Ambidextrous AR-15 Charging Handle

CH02

- Pulling from either side will result in a smooth, reliable pull.
- Non-slip design with 'cut-out' edges works great with gloved hands for a dependable action.
- Rear lip raised to help re-direct gasses from short-barreled or suppressed rifles.
- Left lever .85", right lever 1" (width)
- · Length 7 inches, Width 2.56"
- Made from 7075-T6 Aluminum, hard-coated anodized (matte black)

Brand new product that allows both right and left-handed shooters to easily charge their AR-15.

Also useful for 3 gun shooting and for training off-hand use.



